

NEW!

COLOR-Light

More than a simple Light-shower!

Expand your practice service - Light and color create synergy-effects!!

COLOR-Light offers you a unique chance for innovation. You can develop and optimize your practice-concept by integrating different approved naturopathic treatments in a „device-system“

The coupling of the **COLOR-Light** with an AMS-practice device can be named as a epoch-making development in the field of Light-Color-Magneto- and bioinformation-therapy.

Fields of Application

Partly and whole-body-treatment, zone treatment, meridian-, terminal-point-treatment, alarm points in TCM (Mu points), organ therapy via the five elements/colors, foot reflex zone treatment, scar interference suppression, head-, shoulder-, spinal-column treatment, moxa-point and naturally chakra-treatment.

Color-Light is world-wide unique:
Light and color are modulated by the spectra of the 64 trace elements!

COLOR-Light

... delivers the energy the organism needs in certain regulation-situations through light and colors!

... is a manageable investment which upgrades your service-offer crucially, but still minimizes your costs. You cannot make a more attractive offer in the field of prophylaxis, regeneration, wellness, and therapy.

... can be interlinked with the performance-functions of an AMS-practice device:

- **MEDISEND®super**
- **MEDISEND®super C**
- **MEDISEND®super III**

Connect light and color of the **COLOR-Light** with the multifunctionality of your AMS-practice device and get unexpected synergistical effects:

- Photon-therapy
- plus pulsating magnetic fields
- plus approved naturopathic treatment
- Light and color
- bioinformative medicine / transfer of endogenous and exogenous bioinformation
- chiropractic and massage

COLOR-Light - biophysical basics

COLOR-Light works on the basis of color light, which when considered biophysically consists of particles and a wave – so-called light quanta or biophotons.

AMS GmbH
ADVANCED
MEDICAL SYSTEMS

Fon + 49 93 41 / 9 29 30-0
Fax + 49 93 41 / 9 29 30-99

Tannenweg 9
D-97941 Tauberbischofsheim

info@magnetotherapy.de
www.magnetotherapy.de

COLOR-Light in combination with a MEDISEND® super III

The points below provide an overview of the many different possibilities of using the **COLOR-Light** in combination with an AMS practice device :

1 **COLOR-Light** vibrations in the range of 400 nm to 750 nm. More than 1000 shades of color incl. the automatic "rainbow" can be set using the rotary button. When connected to an AMS device, amplitude modulation of the color light via the magnetic field up to approx. 25 Hz is possible.

2 **Two frequency generators** to be operated independently of one another each generate a magnetic field; settable between 0.1 Hz and 1000 Hz (in the harmonics up to 10 MHz) as single frequencies and/or in the form of two automatic frequency sweeps ("100 Hz – 1 Hz" or "1000 Hz – 1 Hz").

3 The further possibilities of phase, amplitude and frequency modulation and regulation of the magnetic field strength / "intensity" permit quite differentiated setting of the magnetic field.

Important: The antiphlogistically acting frequency "U" = 1.2 Hz (universal frequency according to Nogier) can be set specifically.

4 The special Schumann frequency associated with the color can likewise be set (**COLOR-Light** in combination with an AMS practice device and the allocation of: Colors - Function - Organ - System / and the corresponding Schumann frequencies in Hz).

5 The geomagnetic-frequency spectrum is always simultaneously generated and output independently of the set frequency.

6 Use of exogenous and endogenous bioinformation (analog and/or digital) which can be transmitted and used via the magnetic-field frequency for testing and therapy.

7 Special applicators which can be connected to every AMS practice device (**CEPES-Laser® Vario** / **MAGNETO-inductors** / **MAGNETO-ring** / **MEDICUP** / **hand electrode**) guarantee not only a homogenous and thus efficient magnetic field, but also networking with other tried-and-tested therapy procedures.

COLOR-Light

A guarantee for complementary medicine:

- harmonizes and balances
- eases blockades
- rebuilds the energy-equilibrium
- easy in handling
- painless in application
- without risk and side-effects



COLOR-Light - Quick and easy to install

It is extremely easy to install the **COLOR-Light** in the stand-alone version and in combination with an AMS-practice device

With the rotary-button at the side of the control-box you can adjust the color. (see figure)

From the very right adjustment (white light) to the very left („AutoRainbow“).

If needed the intensity can be set by the +/- button. Nine adjustments are available.



COLOR-Light - unique-position features

Compared with other light showers or color-light devices available on the market, the **COLOR-Light** has the following technical unique-position features

COLOR-Light in combination with an AMS-practice device

If the COLOR-Light is used in combination with an AMS practice device, as well as the vibrations of the color light, all three biological normals are generated and output via the applicator of the AMS practice device. Schumann-, geomagnetic- and solar-frequency spectra. That means: When the floodlight is combined with an AMS practice device, you use simultaneously.

- Window I for the visible light
- Window II for the so-called solar frequencies.

Biological standards

Our pulsating magnetic field dates from the research of the world-wide accepted bio-physicist Dr. rer. nat. W. Ludwig. He dealt with the natural magnetic fields for decades and converted his cognitions into his systems consequently. These natural magnetic fields are known as „**Biological standards**“.

Technical data

Color light (vibrations) in the range of approx. 400 nm to 750 nm using a total of 216 LEDs; of which: 72 red / 72 green / 72 blue LEDs. These three primary colors can be mixed (by way of a rotary button) into more than 1000 shades incl. a so-called "rainbow", an automatic color sweep.


Size / control box: 127 mm* 177 mm* 45 / 100 mm*

Weight / control box: 452 g



Size / color floodlight: 260 mm* 177 mm* 23 mm*

Weight / color floodlight: 710 g

Power supply: Plug-in mains adapter suitable for system voltages in the range of 100 to 240 V



The two atmospherical windows for electromagnetic waves



Guarantee
2 years

Color-Light

Order No: 550

Current US \$-prices you can find on our homepage.

AMS GmbH
ADVANCED
MEDICAL SYSTEMS

Fon + 49 93 41 / 9 29 30-0
Fax + 49 93 41 / 9 29 30-99

Tannenweg 9
D-97941 Tauberbischofsheim

info@magnetotherapy.de
www.magnetotherapy.de